

PROJECT:

ADDRESS:

SCOPE:

TOTAL BID

ELECTRICAL ESTIMATE


<http://www.estimasters.com>

(512) 333-1785

SR #	DWG. NO.	CSI NO.	DESCRIPTION	QTY.	WASTE	QTY. W/ WASTE	UNIT	Labor Cost	Total Labor Cost	Material Cost	Total Material Cost	Total Unit Cost	TOTAL COST
26 00 00		ELECTRICAL											
Demolition													
1	E100		Disconnect and remove all line and low voltage electrical equipment, devices, conduit and wiring in this room except as noted otherwise.	6,404	10%	7,044	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
2	E100		Existing (2'x4') LED Light Fixture To Be Remove	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
3	E100		Existing Mini-Split system FED from existing panel RA to be removed	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
4	E100		Existing Roof-Top Units Fred from existing panel DDP to be removed	3	0%	3	Ea.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
								\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
New Electrical Work													
Lighting													
5	E201		Lighting Fixture Type - A - Description: (2'x4') Lensed Troffer - MFG: Metalux - Catalog #: 24GR-LD5-34-F1-277-L835-CD - Mounting: RECESSED - Voltage: 277	16	0%	16	Ea.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
6	E201		Lighting Fixture Type - AE - Description: Type A With Emergency Battery Pack - MFG: Metalux - Catalog #: 24GR-LD5-34-F1-277-EL10W-L835-CD - Mounting: RECESSED - Voltage: 277	4	0%	4	Ea.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
7	E201		Lighting Fixture Type - B - Description: (2'x2') Architectural Troffer - MFG: Focal Point - Catalog #: FAML-22-ACR-3500LH-35K-1C-UNV-LD1-G3-WH - Mounting: RECESSED - Voltage: 277	12	0%	12	Ea.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
8	E201		Lighting Fixture Type - B1 - Description: (2'x2') Architectural Troffer - MFG: Focal Point - Catalog #: FAML-22-ACR-2500LH-35K-1C-UNV-LD1-G3-WH - Mounting: RECESSED - Voltage: 277	22	0%	22	Ea.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
9	E201		Lighting Fixture Type - B - Description: (2'x2') Architectural Troffer - MFG: Focal Point - Catalog #: FAML-22-ACR-3500LH-35K-1C-UNV-LD1-G3-WH - Mounting: RECESSED - Voltage: 277	6	0%	6	Ea.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
10	E201		Lighting Fixture Type - AE - Description: Type A With Emergency Battery Pack - MFG: Metalux - Catalog #: 24GR-LD5-34-F1-277-EL10W-L835-CD - Mounting: RECESSED - Voltage: 277	2	0%	2	Ea.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
11	E201		Lighting Fixture Type - B - Description: (2'x2') Architectural Troffer - MFG: Focal Point - Catalog #: FAML-22-ACR-3500LH-35K-1C-UNV-LD1-G3-WH - Mounting: RECESSED - Voltage: 277	6	0%	6	Ea.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
12	E201		Lighting Fixture Type - X1 - Description: LED Single Face Polycarbonate Exit - Self Powered - MFG: Sure-Lites - Catalog #: LPX7 - Mounting: VARIES - Voltage: 277	3	0%	3	Ea.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
13	E201		Lighting Fixture Type - X1D - Description: LED Double Face Polycarbonate Exit - Self Powered - MFG: Sure-Lites - Catalog #: LPX7 - Mounting: VARIES - Voltage: 277	4	0%	4	Ea.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
14	E201		Lighting Fixture Type - CE - Description: TYPE C WITH EMERGENCY BATTERY PACK - MFG: FOCAL POINT - Catalog #: FLC6D-RO-1500L-277-L11-T-EM LC6EM-RD-1500L-935-DN-CD-NP - Mounting: RECESSED - Voltage: 277	7	0%	7	Ea.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -

15	E201	Lighting Fixture Type - C - Description: 6" DOWNLIGHT - MFG: FOCAL POINT - Catalog #: FLC6D-RO-1500L-277-L11-T LC6-RD-1500L-935-DN-CD-NP - Mounting: RECESSED - Voltage: 277	30	0%	30	Ea.	\$ -	\$ -	\$ -	\$ -
16	E201	Lighting Fixture Type - D1 - Description: LED Tape Light - MFG: TIVOLI - Catalog #: TPLD-HO-I-35-C-24 - Mounting: SURFACE - Voltage: 120	2	0%	2	Ea.	\$ -	\$ -	\$ -	\$ -
17	E201	Lighting Fixture Type - J2 - Description: 2' Recessed Linear W/Sensor - MFG: PHILIPS LEDALITE - Catalog #: 3901L93515QS102DS1NW - Mounting: RECESSED - Voltage: 277	2	0%	2	Ea.	\$ -	\$ -	\$ -	\$ -
18	E201	Lighting Fixture Type - J3 - Description: 3' Recessed Linear W/Sensor - MFG: PHILIPS LEDALITE - Catalog #: 3901L93515QS102DS1NW - Mounting: RECESSED - Voltage: 277	7	0%	7	Ea.	\$ -	\$ -	\$ -	\$ -
19	E201	Lighting Fixture Type - J4 - Description: 4' Recessed Linear W/Sensor - MFG: PHILIPS LEDALITE - Catalog #: 3901L93515QS102DS1NW - Mounting: RECESSED - Voltage: 277	5	0%	5	Ea.	\$ -	\$ -	\$ -	\$ -
20	E201	Lighting Fixture Type - J5 - Description: 5' Recessed Linear W/Sensor - MFG: PHILIPS LEDALITE - Catalog #: 3901L93515QS102DS1NW - Mounting: RECESSED - Voltage: 277	2	0%	2	Ea.	\$ -	\$ -	\$ -	\$ -
21	E201	Lighting Fixture Type - J6 - Description: 6' Recessed Linear W/Sensor - MFG: PHILIPS LEDALITE - Catalog #: 3901L93515QS102DS1NW - Mounting: RECESSED - Voltage: 277	2	0%	2	Ea.	\$ -	\$ -	\$ -	\$ -
22	E201	Lighting Fixture Type - D - Description: LED TAPE LIGHT - MFG: TIVOLI - Catalog #: TPLD-HO-I-35-C-24 WITH TPL-I-45-MCH-8-S - Mounting: SURFACE - Voltage: 120/24	8	0%	8	Ea.	\$ -	\$ -	\$ -	\$ -
23	E201	Lighting Fixture Type - H - Description: DECORATIVE PENDANT - MFG: BESA LIGHTING - Catalog #: 1JT-412480-LED-SN-LW - Mounting: PENDANT - Voltage: 120/12	8	0%	8	Ea.	\$ -	\$ -	\$ -	\$ -
24	E201	Lighting Fixture Type - F - Description: ANGLED PENDANT - MFG: EUREKA - Catalog #: 2026-LED.8-35-48-120-DV-S6-36-RC-CHR-SA-BLKA - Mounting: SURFACE - Voltage: 120	7	0%	7	Ea.	\$ -	\$ -	\$ -	\$ -
25	E201	Lighting Fixture Type - G - Description: PENDANT - MFG: EUREKA - Catalog #: 4026-LED.4-35-48-120-DV-S6-36-RC-CHR-SA-BLKA - Mounting: SURFACE - Voltage: 120	10	0%	10	Ea.	\$ -	\$ -	\$ -	\$ -
Power										
26	E301	FFB1 LK1-32 Two Compartment - Power Floor Box	2	0%	2	Ea.	\$ -	\$ -	\$ -	\$ -
27	E301	FFB1 LK1-34 Two Compartment - Power Floor Box	2	0%	2	Ea.	\$ -	\$ -	\$ -	\$ -
28	E301	FFB1 LK1-36 Two Compartment - Power Floor Box	2	0%	2	Ea.	\$ -	\$ -	\$ -	\$ -
29	E301	FFB1 LK1-37 Two Compartment - Power Floor Box	2	0%	2	Ea.	\$ -	\$ -	\$ -	\$ -
30	E301	FFB1 LK1-39 Two Compartment - Power Floor Box	2	0%	2	Ea.	\$ -	\$ -	\$ -	\$ -
31	E301	FFB1 LK1-44 Two Compartment - Power Floor Box	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
32	E301	FFB2 LK1 26 Four Gang - Power/DATA/AV Floor Box	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
33	E301	FFB2 LK1-31 Four Gang - Power/DATA/AV Floor Box	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
34	E301	FFB2 LK1-33 Four Gang - Power/DATA/AV Floor Box	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
35	E301	15cd Ceiling Mounted Strobe	3	0%	3	Ea.	\$ -	\$ -	\$ -	\$ -
36	E301	15cd Ceiling Mounted Horn	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
37	E301	30cd Ceiling Mounted Strobe	2	0%	2	Ea.	\$ -	\$ -	\$ -	\$ -
38	E301	60cd Ceiling Mounted Strobe	2	0%	2	Ea.	\$ -	\$ -	\$ -	\$ -
39	E301	60 cd Ceiling Mounted Horn	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
40	E301	Voice/ Data Outlet, Mount at 48" AFF To Top Of Box	10	0%	10	Ea.	\$ -	\$ -	\$ -	\$ -
41	E301	LK1-38 Duplex Receptacle	4	0%	4	Ea.	\$ -	\$ -	\$ -	\$ -
42	E301	LK1-28 Duplex Receptacle	6	0%	6	Ea.	\$ -	\$ -	\$ -	\$ -
43	E301	LK1-35 Duplex Receptacle	3	0%	3	Ea.	\$ -	\$ -	\$ -	\$ -
44	E301	LK1-29 Duplex Receptacle	6	0%	6	Ea.	\$ -	\$ -	\$ -	\$ -
45	E301	LK1-40 Duplex Receptacle	2	0%	2	Ea.	\$ -	\$ -	\$ -	\$ -
46	E301	LK1-11 Duplex Receptacle	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -

47	E301	LK1-30 Duplex Receptacle	6	0%	6	Ea.	\$ -	\$ -	\$ -	\$ -
48	E301	LK1-41 Duplex Receptacle	5	0%	5	Ea.	\$ -	\$ -	\$ -	\$ -
49	E301	LK1-43 Duplex Receptacle	3	0%	3	Ea.	\$ -	\$ -	\$ -	\$ -
50	E301	LK1-43 Double Duplex Receptacle	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
51	E301	LK1-29 Double Duplex Receptacle	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
52	E301	LK1-35 Duplex Receptacle, 48" AFF To Top Of Box	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
53	E301	LK1-46 Double Duplex Receptacle	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
54	E301	LK1-30 Duplex Receptacle, 48" AFF To Top Of Box	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
55	E301	LK1-45 Duplex Receptacle	4	0%	4	Ea.	\$ -	\$ -	\$ -	\$ -
56	E301	LK1-47 Duplex Receptacle	3	0%	3	Ea.	\$ -	\$ -	\$ -	\$ -
57	E301	LK1-50 Ceiling Receptacle	3	0%	3	Ea.	\$ -	\$ -	\$ -	\$ -
58	E301	LK1-53 Ceiling Receptacle	2	0%	2	Ea.	\$ -	\$ -	\$ -	\$ -
59	E301	LK1-47 Duplex Receptacle, 48" AFF To Top Of Box	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
60	E301	LK1-28 Duplex Receptacle, 48" AFF To Top Of Box	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
61	E301	LK1-48 Double Duplex Receptacle	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
62	E301	GFCI LK1-11 Double Duplex Receptacle	2	0%	2	Ea.	\$ -	\$ -	\$ -	\$ -
63	E301	GFCI LK1-13 Double Duplex Receptacle	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
64	E301	SQ1 LK1-52 Projection Screen	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
65	E301	SQ1 LK1-54 Projection Screen	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
66	E301	SQ2 LK1-52 Projector	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
67	E301	SQ2 LK1-54 Projector	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
68	E301	GFCI LK1-11 Duplex Receptacle, 48" AFF To Top Of Box	2	0%	2	Ea.	\$ -	\$ -	\$ -	\$ -
69	E301	GFCI LK1-19 Duplex Receptacle, 48" AFF To Top Of Box	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
70	E301	GFCI LK1-20 Duplex Receptacle, 48" AFF To Top Of Box	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
71	E301	GFCI LK1-21 Duplex Receptacle, 48" AFF To Top Of Box	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
72	E301	GFCI LK1-23 Duplex Receptacle, 48" AFF To Top Of Box	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
73	E301	GFCI LK1-40 Duplex Receptacle, 48" AFF To Top Of Box	2	0%	2	Ea.	\$ -	\$ -	\$ -	\$ -
74	E301	WP/GFCI LK1-27 Duplex Receptacle	3	0%	3	Ea.	\$ -	\$ -	\$ -	\$ -
75	E301	REX - (to be Confirmed)	2	0%	2	Ea.	\$ -	\$ -	\$ -	\$ -
76	E301	FSS - Fire Suppression Control Panel	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
77	E301	ES - Electric Strike	2	0%	2	Ea.	\$ -	\$ -	\$ -	\$ -
78	E301	DC- Door Contact	6	0%	6	Ea.	\$ -	\$ -	\$ -	\$ -
79	E301	ML - (to be Confirmed)	2	0%	2	Ea.	\$ -	\$ -	\$ -	\$ -
80	E301	CR - Card Reader	4	0%	4	Ea.	\$ -	\$ -	\$ -	\$ -
Mechanical Equipment Connection										
81	E301	CP-1: Circulation Pump -Volt: 120 V - Load: 0.5 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
82	E301	TF-1: Transfer Fan -Volt: 120 V - Load: 3.7 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
83	E301	VAV-1: Air Terminal Unit -Volt: 277 V - Load: 14.4 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
84	E301	VAV-2: Air Terminal Unit -Volt: 277 V - Load: 9.0 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
85	E301	VAV-3: Air Terminal Unit -Volt: 277 V - Load: 3.6 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
86	E301	VAV-4: Air Terminal Unit -Volt: 277 V - Load: 5.4 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
87	E301	VAV-5: Air Terminal Unit -Volt: 277 V - Load: 19.9 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
88	E301	VAV-6: Air Terminal Unit -Volt: 277 V - Load: 18.1 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
89	E301	VAV-7: Air Terminal Unit -Volt: 277 V - Load: 14.1 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
90	E301	VAV-8: Air Terminal Unit -Volt: 277 V - Load: 9.0 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
91	E301	VAV-9: Air Terminal Unit -Volt: 277 V - Load: 14.4 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
92	E301	VAV-10: Air Terminal Unit -Volt: 277 V - Load: 9.0 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
93	E301	VAV-11: Air Terminal Unit -Volt: 277 V - Load: 3.6 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
94	E301	VAV-12: Air Terminal Unit -Volt: 277 V - Load: 7.2 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
95	E301	VAV-13: Air Terminal Unit -Volt: 277 V - Load: 16.3 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
96	E301	VAV-14: Air Terminal Unit -Volt: 277 V - Load: 21.6 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -

97	E301	VAV-15: Air Terminal Unit -Volt: 277 V - Load: 21.7 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
98	E301	WH-1: Water Heater -Volt: 480 V - Load: 43.3 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
Kitchen Equipment Connection										
99	E301	K1: Fryer -Volt: 120 V - Load: 6.0 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
100	E301	K2: Gas Range Blower -Volt: 120 V - Load: 4.0 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
101	E301	K5: Countertop Electric Oven -Volt: 208 V - Load: 24.5 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
102	E301	K6: Refrigerator Base -Volt: 120 V - Load: 5.0 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
103	E301	K7: Multi-Cook Oven -Volt: 208 V - Load: 7.3 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
104	E301	K7A: Multi-Cook Oven -Volt: 208 V - Load: 41.0 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
105	E301	K8: Undercounter Refrigerator -Volt: 120 V - Load: 2.0 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
106	E301	K9: Undercounter Freezer -Volt: 120 V - Load: 2.5 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
107	E301	K10: Bulb Warmer -Volt: 120 V - Load: 4.2 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
108	E301	K12: 4 Slicer Toaster - Volt: 120 V - Load: 15.0 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
109	E301	K13: Microwave Typical -Volt: 120 V - Load: 13.0 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
110	E301	K17: Reach-In Refrigerator -Volt: 120 V - Load: 6.0 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
111	E301	K18: Reach-In Freezer -Volt: 120 V - Load: 6.0 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
112	E301	K19: Countertop Mixer -Volt: 120 V - Load: 5.0 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
113	E301	K21: Slicer -Volt: 120 V - Load: 3.0 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
114	E301	K25: Dishwasher -Volt: 480 V - Load: 25.7 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
115	E301	K27: ICE Maker W/Bin -Volt: 120 V - Load: 11.9 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
116	E301	K36: Disposer -Volt: 208 V - Load: 6.0 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
117	E301	K37: Mobile Heated Cabinet -Volt: 120 V - Load: 16.7 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
118	E301	K39: Tea Brewer, Typical of (2) -Volt: 120 V - Load: 14.4 A	2	0%	2	Ea.	\$ -	\$ -	\$ -	\$ -
119	E301	K42: ADA Undercounter Refrigerator -Volt: 120 V - Load: 1.6 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
120	E301	K44: Coffee Brewer -Volt: 120 V - Load: 15.0 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
121	E301	K48: Juice Dispenser -Volt: 120 V - Load: 6.0 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
122	E301	KH1A: Kitchen Hood Light, Typical -Volt: 120 V - Load: 5.8 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
123	E301	KH1B: Kitchen Hood Light, Typical -Volt: 120 V - Load: 5.8 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -
124	E301	KHC: Kitchen Hood Control Panel -Volt: 120 V - Load: 1.3 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -

Motor Connection												
125	E241	KEF-1: Kitchen Exhaust Fan - Volt: 480 V - Load: 4.8 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
126	E241	KEF-2: Kitchen Exhaust Fan - Volt: 120 V - Load: 5.8 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
127	E241	KMU-1: Kitchen Make-Up Air Unit - Volt: 480 V - Load: 64.3 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
128	E241	RTU-1: Roof Top Unit - Volt: 480 V - Load: 41.0 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
129	E241	RTU-2: Roof Top Unit - Volt: 480 V - Load: 41.0 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Electrical Panel												
130	E301	HK- Panel 480Y/277V 3P 4W - Mounting: Surface - Bus Rating: 400 A - Mains Type: MLO - FED At: 400 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
131	E301	LK1- Panel 208Y/120V 3P 4W - Supply From: T/LK1 - Mounting: Surface - Bus Rating: 225 A - Mains Type: MCB - FED At: 225 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
132	E301	LK2-Panel 208Y/120V 3P 4W - Supply From: LK1 - Mounting: Surface - Bus Rating: 225 A - Mains Type: MLO - FED At: 100 A	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
133	E301	T/LK1 - Panel (To be Confirmed)	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Switches												
134	E201	Digital Dimming Wall Switch	6	0%	6	Ea.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
135	E201	Digital Multi-Zone Dimming Wall Switch	6	0%	6	Ea.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
136	E201	Single Pole Toggle Switch	1	0%	1	Ea.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
137	E201	Three Way Toggle Switch	2	0%	2	Ea.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Sensor												
138	E201	Sensor Fixture Type - A - Description: DIGITAL DUAL TECHNOLOGY CEILING SENSOR - MFG: WATTSTOPPER - Catalog #: LMDC-100 - Mounting: CEILING - Voltage: 24VDC	14	0%	14	Ea.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
139	E201	Sensor Fixture Type - B - Description: LOW VOLTAGE ULTRASONIC SENSOR - MFG: WATTSTOPPER - Catalog #: WT-1105 - Mounting: CEILING - Voltage: 24VDC	2	0%	2	Ea.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
140	E201	Sensor Fixture Type - DL - Description: DAYLIGHT SENSOR - MFG: WATTSTOPPER - Catalog #: LMLS-500 - Mounting: CEILING - Voltage: 24VDC	5	0%	5	Ea.	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Wiring												
141	E201	Wiring	1,291	10%	1,420	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
Sub Total											\$	-
							Total Labor Cost	Total Material Cost				
SUB - TOTAL							\$	-	\$	-	\$	-
OVERHEAD AND PROFIT										20%	\$	-
TOTAL BASE BID											\$	-

CY Cubic Yard
 CF Cubic Foot
 SF Square Foot
 LF Linear Foot
 Each Each/Count
 LS Lump Sum